



Premier is a modern integrated trunking system which provides the means to distribute power, data and telecom services around buildings.

A wide range of snap fit mouldings, including reducers, make it easy to run continuous lengths of trunking as cable feeders and, where required, to provide dado trunking with the necessary power, data and telecom outlets. The MK Aspect and Logic Plus accessory ranges complement the style and finish of Premier Trunking.

Simple, clean lines

Stylish and unobtrusive finish

Wide range of integrated components

Maximises versatility in application

Clip-on covers provide continuous access for wiring modifications

Easy to assemble and install

Data corners provide 32mm radius compatible with Cat5e data cables


Enables data cables to perform to their maximum capabilities

Tapered joints provide complete protection at junctions masking cut ends

Uniform and neat finish to any installation

Made from 100% PVCu

Premier is both robust and easily workable on site



Components are available in a choice of over 180 RAL paint colours. Specify your choice when ordering.



Reducers are used to connect different sizes of trunking.



Adaptors provide integration with Ega Mini and Communication Trunking for local distribution.



Moulded flat cross available for all distribution trunking.





Trunking

MATERIAL: PVCu
COLOUR: White

3 METRE
LENGTHS

2 METRE
LENGTHS

SPARE
TRUNKING LID
3 METRE
LENGTHS

Internal Coupler

MOULDED

Joint Cover

MOULDED



50 x 50mm	NCT/5050	12m	NCT/5050 D1*	12m	NCT/50LID	12m	NCI/5050	5	NJC/5050	10
75 x 50mm	NCT/7550	12m	NCT/7550 D1*	12m	NCT/50LID	12m	NCI/7550	5	NJC/7550	10
75 x 75mm	NCT/7575	12m	NCT/7575 D1*	8m	NCT/75LID	12m	NCI/7575	5	NJC/7575	10
100 x 40mm	NCT/1040	12m	NCT/1040 D1*	8m	NCT/100LID	12m	NCI/1040	5	NJC/1040	5
100 x 50mm	NCT/1050	12m	NCT/1050 D1*	8m	NCT/100LID	12m	NCI/1050	5	NJC/1050	5
100 x 100mm	NCT/1010	12m	NCT/1010 D1*	8m	NCT/100LID	12m	NCI/1010	5	NJC/1010	5

*2 metre lengths are available
for NON UK markets.

External Corner

MOULDED

WITH
DATA CORNER
MOULDED


Internal Corner

MOULDED

WITH
DATA CORNER
MOULDED

Flat Angle

MOULDED



50 x 50mm	NAE/5050	2		NAI/5050	2		NAF/5050	2
75 x 50mm	NAE/7550	2		NAI/7550	2		NAF/7550	2
75 x 75mm	NAE/7575	2		NAI/7575	2		NAF/7575	2
100 x 40mm	NAE/1040	2		NAI/1040	2		NAF/1040	2
100 x 50mm	NAE/1050	2	NDAE/1050	2	NAI/1050	2	NDAI/1050	2
100 x 50mm	NFAE/1050*	2		NFAI/1050*	2		NFAF/1050*	2
100 x 100mm	NAE/1010*	1		NAI/1010*	1		NAF/1010*	1

*Fabricated

Data corner provides
32mm (1 1/4" or 1.25")
radius compatible with
Cat 5e data cables

*Fabricated

Data corner provides
32mm (1 1/4" or 1.25")
radius compatible with
Cat 5e data cables

*Fabricated



TECHNICAL HOTLINE +44 (0)1268 563720

PERIMETER AND DISTRIBUTION

Cable Retainer

MOULDED

Cable Divider


3 METRE

End Cap

UNIVERSAL FOR USE AT EITHER END MOULDED

Underbox Divider

1 GANG 2 GANG USED TO MAINTAIN CABLE SEGREGATION BEHIND SOCKET OUTLETS



NBP/50	10	NVS/50	36m	NEP/5050	5		
NBP/75	10	NVS/50	36m	NEP/7550	5		
NBP/75	10	NVS/75	36m	NEP/7575	5		
NBP/100	10	NVS/40	36m	NEP/1040	5	NUB/401	10
NBP/100	10	NVS/50	36m	NEP/1050	5	NUB/501	10
NBP/100	10	NVS/100	36m	NEP/1010	5	NUB/1001	10
						NUB/402	10
						NUB/502	10
						NUB/1002	10

Flat Tee

WITH DATA CORNER MOULDED

MOULDED

WITH DATA CORNER MOULDED

Double Set

FABRICATED

Internal Tee

FABRICATED

External Tee

FABRICATED



		NTF/5050	2			NMD/5050	2	NTI/5050	1	NTE/5050	1
		NTF/7550	2					NTI/7550	1	NTE/7550	1
		NTF/7575	2					NTI/7575	1	NTE/7575	1
		NTF/1040	2					NTI/1040	1	NTE/1040	1
NDAF/1050	2	NTF/1050	2	NDTF/1050	2			NTI/1050	1	NTE/1050	1
		NFTF/1050*	2								
		NFTF/1010*	1					NTI/1010	1	NTE/1010	1

Data corner provides 32mm (1 1/4" or 1.25") radius compatible with Cat 5e data cables

*Fabricated

Data corner provides 32mm (1 1/4" or 1.25") radius compatible with Cat 5e data cables



Flat Cross

MOULDED



Flange Coupler



Angles

INTERNAL
135°

FABRICATED



EXTERNAL
135°

FABRICATED



FLAT
135°

FABRICATED



50 x 50mm	NCU/5050	1	NFC/5050	1	NMI/5050	1	NMO/5050	1	NMT/5050	1
75 x 50mm	NCU/7550	1	NFC/7550	1	NMI/7550	1	NMO/7550	1	NMT/7550	1
75 x 75mm	NCU/7575	1	NFC/7575	1	NMI/7575	1	NMO/7575	1	NMT/7575	1
100 x 40mm	NCU/1040	1	NFC/1040	1	NMI/1040	1	NMO/1040	1	NMT/1040	1
100 x 50mm	NCU/1050	1	NFC/1050	1	NMI/1050	1	NMO/1050	1	NMT/1050	1
100 x 100mm	NCU/1010	1	NFC/1010	1	NMI/1010	1	NMO/1010	1	NMT/1010	1

MCB/RCD Housings

Mini Trunking Adaptor

FOR YEA AND CMA ADAPTORS


Partition Wall Cover

FOR TRUNKING 100MM X 40MM

Accessory Boxes

ONE GANG
25 & 35MM
DEEP FOR
100MM WIDE
TRUNKING

TWO GANG
25 & 35MM
DEEP FOR
100MM WIDE
TRUNKING



NMH/100	1	VTS/KMH/1 WHI	1	NYT/100	10	NWC/1040	5	VTS/6025 WHI	25	VTS/7025 WHI	10
		VTS/6035 WHI	25	VTS/7035 WHI	10						

VTS/KMH includes cover.
Accessory not provided

35mm deep boxes are only for use in 100 x 50mm and 100 x 100mm trunking

35mm deep boxes are only for use in 100 x 50mm and 100 x 100mm trunking

Wall Plates

Reducers

FOR INTERNAL
CORNERS
MOULDED

50 X 50MM
FABRICATED

75 X 50MM
FABRICATED

75 X 75MM
FABRICATED

100 X 40MM
FABRICATED

100 X 50MM
FABRICATED



NWP/5050	5								
NWP/7550	5	NTR/21	1						
NWP/7575	5	NTR/31	1	NTR/32	1				
NWP/1040	5								
NWP/1050	5	NTR/41	1	NTR/42	1		NTR/45	1	
NWP/1010	5	NTR/61	1	NTR/62	1	NTR/63	1	NTR/65	1
								NTR/64	1

Mounting Frames

Adaptor Plates

Accessory Spacer

THREE GANG
28MM DEEP FOR
100MM WIDE
TRUNKING

ONE GANG
25 & 35MM
DEEP
FLUSH PILLARS
(NON UK)

45 X 45MM
APERTURE
(NON UK)



VTS/8028 WHI	5	NCT/1G25 WHI	25	VTS/6000 WHI	10	VTS/4545 WHI	10	VTS/35B WHI	10	NSP/100	10
K3716	100	25MM DEEP		1 GANG		FLAT		ADAPTOR BOX BASE		ACCESSORY SPACER	
BOX EARTH TERMINAL		NCT/1G35 WHI	25	ACCESSORY MOUNTING		VTS/4545R WHI	10	FOR 100MM WIDE		TRUNKING	
		35MM DEEP		FRAME		RAISED					
				VTS/7000 WHI	5						
				2 GANG							
				ACCESSORY MOUNTING							
				FRAME							